	pe	ו ת	Search Text fingerprint\$4 near5 (center or	SU	DBs -PGPUB; US
–	BRS	465	ingerprint\$4 near5 (center or entroid or middle)	-PGPUB; US OCR; EPO; IBM	ω ·· ··
N	BRS	16	S1 same ((line\$3 or bar\$1) with (intersect\$4 or bisect\$4 or meet\$3 or cross\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	B);
ω	BRS	465	<pre>fingerprint\$4 near5 (center or centroid or middle)</pre>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	PAT; JPO; I TDB
42	BRS	16	S3 same ((line\$3 or bar\$1) with (intersect\$4 or bisect\$4 or meet\$3 or cross\$2))	US-PGPUB; USPA; USOCR; EPO; JPO DERWENT; IBM_TI	SPAT; JPO; 1_TDB
ъ	BRS	. 825	<pre>fingerprint\$4 near5 (center or centroid or core)</pre>	US-PGPUB; USPA USOCR; EPO; JPO DERWENT; IBM_TI	SPAT; JPO; _TDB
D	BRS	30	S5 same ((line\$3 or bar\$1) with (intersect\$4 or bisect\$4 or meet\$3 or cross\$2))	US-PGPUB; USPA USOCR; EPO; JE DERWENT; IBM_I	SPAT; JPO; TDB
7	BRS	14	S6 not S4	US-PGPUB; USI USOCR; EPO; (DERWENT; IBM	USPAT;); JPO; BM TDB
œ	BRS	32	S3 same (intersect\$4 or bisect\$4 or meet\$3 or cross\$2)	US-PGPUB; US USOCR; EPO; DERWENT; IBM	JPO;
9	BRS	62	S5 same (intersect\$4 or bisect\$4 or meet\$3 or cross\$2)	US-PGPUB; US USOCR; EPO; DERWENT; IBM	SPAT; JPO; 1 TDB
10	BRS	32	S9 not S6	US-PGPUB; US USOCR; EPO; DERWENT; IBM	JPO;
11	IS&R	1	("5040224").PN.	USPAT	

31	30	29	28	27	8 8	25	24	23	
BRS	BRS	BRS	IS&R	BRS	BRS	BRS	BRS	BRS	Туре
9.	16	—	1	112	67	164	174	253	Hits
S30 and core	("4541113" "4582985" "4607384" "4641350" "4669753" "4790564" "5140642" "5291560" "5493621" "5509083" "5555314" "5572597" "5623552" "5845005"	"6241288".pn. and (core or center)	("5040224").PN.	S24 and (@rlad<"20000929" or @ad<"20000929")	<pre>s19 same ((line\$3 or bar\$1) with (intersect\$4 or bisect\$4 or meet\$3 or cross\$2))</pre>	S19 same (intersect\$4 or bisect\$4 or meet\$3 or cross\$2)	<pre>s18 with ((align\$5 or match\$4 or correlat\$4 or registrat\$4 or register\$3) with (core or center))</pre>	\$18 with ((align\$5 or match\$4 or correlat\$4 or registrat\$4 or register\$3) with (core or center or central))	Search Text
US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	USPAT	USPAT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	DBs
2004/12/14 20:13	2004/12/14 20:12	2004/12/14 20:09	2004/12/14 20:09	2004/12/15 14:21	2004/12/14	2004/12/14 17:17	2004/12/16 17:43	2004/12/14 17:16	Time Stamp
									Comments

40	39	38	37	36	35	34	33	32	
BRS	BRS	BRS	BRS .	BRS	BRS	BRS	BRS	BRS	Туре
30	174	38207	955	17	23	112	174	38207	Hits
S41 and ((shift\$4 or translat\$4) same (fingerprint\$40 or (finger adj print\$4)))	S39 with ((align\$5 or match\$4 or correlat\$4 or registrat\$4 or register\$3) with (core or center))	fingerprint\$4 or (finger nearl print\$3)	"7" and ((shift\$4 or translat\$4) same (fingerprint\$40 or (finger adj print\$4)))	s35 and ((rotat\$4 and (shift\$4 or translat\$4)) same (fingerprint\$4 or (finger adj print\$4)))	\$35 and (rotat\$4 and (shift\$4 or translat\$4))	\$34 and (@rlad<"20000929" or [ead<"20000929")	S33 with ((align\$5 or match\$4 or correlat\$4 or registrat\$4 or register\$3) with (core or center))	fingerprint\$4 or (finger nearl print\$3)	Search Text
US-PGPUB; USPAT; 4USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; 4USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	DBs
2004/12/15 16:16	2004/12/15 19:13	2004/12/15 16:15	2004/12/15 16:16	2004/12/15 16:15	2004/12/15 14:24	2004/12/15 16:15	2004/12/15 14:21	2004/12/15 14:21	Time Stamp
									Comments

50	49	48	47	46	45	44	43	42	41	
BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	Туре
1-1	8	71	125	112	7	3	150	273	5557	Hits
"5960101".pn. and core\$1	("5497429" "5524161" "5799098" "5901239" "5937082" "5960101" "6049621" "6072895").PN.	S49 and (@rlad<"20000929" or @ad<"20000929")	S39 with ((align\$5 or correlat\$4 or registrat\$4 or register\$7 with (core or center))	S40 and (@rlad<"20000929" or @ad<"20000929")	S43 same ((shift\$4 or translat\$4) near5 (range or threshold or maximum))	\$43 with ((shift\$4 or translat\$4) near5 (range or threshold or maximum))	S43 with (shift\$4 or translat\$4)	S43 same (shift\$4 or translat\$4)	<pre>S39 with (align\$5 or match\$4 or correlat\$4 or registrat\$4 or register\$3)</pre>	Search Text
US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	DBs
2004/12/15	2004/12/15 17:45	2004/12/15	2004/12/15	2004/12/15	2004/12/15	2004/12/15	2004/12/15	2004/12/15	2004/12/15	Time Stamp
										Comments

	59	58	57 I	56	υ	5 4	5 ω	52	51	
BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	Туре
L	1-1) —	152	223	114468	1040	175440	90	9	Hits
"4734571".pn. and (shift\$3 with range)	"4768054".pn. and (shift\$3 with range with limit\$3)	"20040218807" and (range with shift)	S57 and (@rlad<"20000929" or @ad<"20000929")	S56 with ((shift\$4 or translat\$4) near5 (range or threshold or error or tolerance))	<pre>imag\$3 near5 (align\$5 or match\$4 or correlat\$4 or registrat\$4 or register\$3)</pre>	ne ((shift\$4 or at\$4) near5 (range or old or maximum or error erance))	<pre>imag\$3 with (align\$5 or match\$4US or correlat\$4 or registrat\$4 orUS register\$3)</pre>	S45 and (@rlad<"20000929" or @ead<"20000929")	S43 same ((shift\$4 or translat\$4) near5 (range or threshold or maximum or error or tolerance))	Search Text
US-PGPUB; USPAT; USOCR; EPO; JPO; nebwent. TRM Thr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	\$4US-PGPUB; USPAT; orUSOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	DBs
2004/12/16 12:15	2004/12/16 12:06	2004/12/16	2004/12/15	2004/12/15	2004/12/15 19:28	2004/12/15 19:27	2004/12/15	2004/12/16 14:15	2004/12/15 19:28	Time Stamp
							,			Comments

61	Type BRS	Hits	Search Text "4547800".pn. and (co	ct	us-PGPUB; Us USOCR; EPO;
3	j j	3	ine with	US-PGPUB; USPAT;	200
1	ť	F	shift\$3)	T; IBM	TDB
				UB; US	USPAT;
63	BRS	2250	382/209,218,294.ccls.	USOCR; EPO; ODERWENT; IBM	JPO;
64	BRS	23586	<pre>imag\$3 same ((translat\$4 or shift\$4 or rotat\$4) with (range or limit\$3 or restrict\$4 or</pre>	US-PGPUB; U USOCR; EPO; DERWENT: TB	USPAT; 2004/12/16 O; JPO; 17:41
65	BRS	165	S64 and S65	US-PGPUB; U USOCR; EPO; DERWENT; IB	USPAT; O; JPO; IBM TDB
66	BRS	11056	<pre>imag\$3 same ((translat\$4 or shift\$4 or rotat\$4) near5 (range or limit\$3 or restrict\$4 or tolerance or fine\$3))</pre>	US-PGPUB; U USOCR; EPO; DERWENT; IB	USPAT; 2004/12, O; JPO; 14:14 IBM_TDB
67	BRS	117	S64 and S67	US-PGPUB; U USOCR; EPO; DERWENT; IB	USPAT; O; JPO; IBM TDB
88	BRS	89	\$68 and (@rlad<"20000929" or @ad<"20000929")	US-PGPUB; U USOCR; EPO; DERWENT; IB	USPAT; O; JPO; IBM TDB
69	BRS	<u> </u>	"20020039436" and (shift\$4 with range)	US-PGPUB; U USOCR; EPO; DERWENT; IB	USPAT; O; JPO; IBM TDB

	Туре	Hits	Search Text	DBs	Time Stamp	Comments
70	BRS	<u> </u>	"6304673" and (rotat\$4 with range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/16 15:18	
71	IS&R	₽->	("5848176").PN.	USPAT	2004/12/16 15:18	

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



11 Welcome **United States Patent and Trademark Office** -» Advan **Quick Links** FAQ Terms IEEE Peer Review Welcome to IEEE Xplore® Help Try our New Full-text Search Prototype ()- Home — What Can I Access? 1) Enter a single keyword, phrase, or Boolean expression. Search Options: Example: acoustic imaging (means the phrase acoustic imaging ()- Log-out Select publication types: plus any stem variations) ☑ IEEE Journals 2) Limit your search by using search operators and field codes, Tables of Contents if desired. ☑ IEE Journals — Journals Example: optical <and> (fiber <or> fibre) <in> ti ☑ IEEE Conference proceedings & Magazines 3) Limit the results by selecting Search Options. ☑ IEE Conference proceedings C Conference 4) Click Search. See Search Examples ☑ IEEE Standards **Proceedings** ()— Standards ((fingerprint* <sentence> Select years to search: (core or center))) <paragraph> (align* or ▼ to Present From year: All register* or registrat* or O- By Author Organize search results by:)- Basic Start Search Clear — Advanced Sort by: Relevance CrossRef In: Descending Note: This function returns plural and suffixed forms of the Member Services Results per page keyword(s). O- Join IEEE)– Establish IEEE Search operators: <and> <or> <not> <in> <mee Web Account Field codes: au (author), ti (title), ab (abstract), jn (publication ()- Access the name), de (index term) More **IEEE Member** Digital Library (FEE LIGHTEST O- Access the

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE - All rights reserved

IEEE Enterprise File Cabinet